

Message

From: Nguyen, Thuy [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=FDF4C9A977D4493E948C607108A47C0E-THUY NGUYEN]
Sent: 10/30/2020 6:37:54 PM
To: Hayes, Sharon [Hayes.Sharon@epa.gov]
CC: Qian, Yaorong [qian.yaorong@epa.gov]; Tham, Kan [Tham.Kan@epa.gov]
Subject: Re: Status of Anvil Method Development

We received the sample from Clarke yesterday

Thanks
Thuy

On Oct 30, 2020, at 12:56 PM, Hayes, Sharon <Hayes.Sharon@epa.gov> wrote:

Hi Thuy and Yaorong,

I have a few Clarke calls this afternoon. I was wondering the status of obtaining that 200 ml sample from Clarke for your method development/validation work. I think we're still missing some details from Alpha regarding their method modifications...I'll check on that.

Also, can you send me that PFAS cross-contamination prevention tip sheet reference by Yaorong on our Oct 21st call.

Thanks,
Sharon M. Hayes, Chief
Toxics, Pesticides & Drinking Water Compliance Section
US EPA Region 1 (New England)
5 Post Office Square, Suite 100 (05-4)
Boston, MA 02109-3912
617-918-1328
hayes.sharon@epa.gov

To report a potential violation:
<https://echo.epa.gov/report-environmental-violations>